🛢 Veneziani

Safety Data Sheet DILUENTE 6700



Safety Data Sheet dated 24/1/2023 Regulation (EU) n. 2020/878 SECTION 1: Identification of the se	·	
company/undertaking		
1.1. Product identifier		
Identification of the mixture:		
Trade name:	DILUENTE 6700	
Trade code:	6700.000	
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against	
Thinner.		
1.3. Details of the supplier of the safety da	ata sheet	
Company:		
BOERO BARTOLOMEO S.p.A Via Macaggi 19 - 16121 Genova - Tel. +39 010 55001 - Fax +39 010 5500305 - CF/P. IVA/REG. IMPRESE DI GENOVA 00267120103		
Brand Veneziani TM used Under Li		
Competent person responsible for the	-	
sicurezzaprodotti@boero.it		
1.4. Emergency telephone number		
BOERO BARTOLOMEO S.p.A Tel.+39 010 55001		
opening hours: Monday - Tuesday		
UK: in an emergency the enquirer s	should call NHS 111/24/Direct (free-to-call medical helplines)	
or a doctor.		
MALTA: tel. 112		

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
Flam. Liq. 2, H225 Highly flammable liquid and vapour.
Acute Tox. 4, H302 Harmful if swallowed.
Acute Tox. 4, H332 Harmful if inhaled.
Eye Irrit. 2, H319 Causes serious eye irritation.
STOT SE 3, H336 May cause drowsiness or dizziness.
2.2. Label elements
Hazard pictograms:



Danger Hazard statements: H225 Highly flammable liquid and vapour. H302+H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

6700.000/2

Page n. 1 of 12



Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire use CO2 or chemical powder. Never use water.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container according to local regulations.

**Special Provisions:** 

PACK2 The packing must have tactile indications of danger for blind people.

Contains

butanone; ethyl methyl ketone

heptan-2-one; methyl amyl ketone

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

Adverse physicochemical, human health and environmental effects:

The main adverse physical-chemical effects for human health and the environment are listed in accordance with Sections 9 to 12 of the safety data sheet

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

### SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 30% - < 34% butanone; ethyl methyl ketone

REACH No.: 01-2119457290-43-XXXX, Index number: 606-002-00-3, CAS: 78-93-3, EC: 201-159-0

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

>= 30% - < 34% heptan-2-one; methyl amyl ketone

REACH No.: 01-2119902391-49-XXXX, Index number: 606-024-00-3, CAS: 110-43-0, EC: 203-767-1

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Flam. Liq. 3 H226 Flammable liquid and vapour.

#### 6700.000/2

Page n. 2 of 12



STOT SE 3 H336 May cause drowsiness or dizziness.

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

#### In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

- 4.2. Most important symptoms and effects, both acute and delayed Harmful if swallowed.
- 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:

In case of fire use CO2 or chemical powder. Never use water.

- Extinguishing media which must not be used for safety reasons:
- Do not use water jets
- None in particular.
- 5.2. Special hazards arising from the substance or mixture Avoid inhaling the fumes.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel: Wear personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation. Use appropriate respiratory protection. See protective measures under point 7 and 8.

6700.000/2

Page n. 3 of 12



For emergency responders: Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Adequately ventilated premises.
  - Use localized ventilation system.
  - Advice on general occupational hygiene:
  - Contamined clothing should be changed before entering eating areas.
  - Do not eat or drink while working.
  - See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Always keep the containers tightly closed.
  - Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed.
  - Incompatible materials:
  - None in particular.
  - Instructions as regards storage premises:
  - Cool and adequately ventilated.
  - Adequately ventilated premises.
- 7.3. Specific end use(s) See section 1.2

#### SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
  - butanone; ethyl methyl ketone CAS: 78-93-3
    - EU TWA(8h): 600 mg/m3, 200 ppm STEL: 900 mg/m3, 300 ppm
    - ACGIH TWA(8h): 200 ppm STEL: 300 ppm Notes: BEI URT irr, CNS and PNS impair
    - VLE1 TWA(8h): 600 mg/m3, 200 ppm
    - VLE STEL: 900 mg/m3, 300 ppm
    - heptan-2-one; methyl amyl ketone CAS: 110-43-0
      - EU TWA(8h): 238 mg/m3, 50 ppm STEL: 475 mg/m3, 100 ppm Notes: Skin
      - ACGIH TWA(8h): 50 ppm Notes: Eye and skin irr
- DNEL Exposure Limit Values
  - N.A.
- PNEC Exposure Limit Values
  - N.A.

6700.000/2

Page n. 4 of 12



**Biological Exposure Index** 

butanone; ethyl methyl ketone - CAS: 78-93-3

Value: 2.6 mgg creatinina - medium: Urine - Biological Indicator: MEK in urine - Sampling Period: End of turn

8.2. Exposure controls

Eye protection:

Use goggles/facemask certified UNI EN 166.

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Suitable protective clothing is required for complete skin protection: for example coveralls with long sleeves and trousers, rubber boots and apron, etc., according to UNI EN 14325.

Protection for hands:

Use protective gloves: waterproof rubber gloves certified UNI EN 374. Nitrile gloves provide good protection. Use care in selecting a penetration time of the gloves longer than the foreseen usage time.

Respiratory protection:

Use adequate protective respiratory equipment: a carbon filter mask with filters certified UNI EN 149 or dust masks certified UNI EN 140. Filters of types A and P types may be considered.

Thermal Hazards:

None

Environmental exposure controls:

See sections 6 and 13

Appropriate engineering controls:

None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	liquid		
Colour:	colourless		
Odour:	N.A.		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	bp>35 °C		
Flammability:	Flam. Liq. 2, H225		
Lower and upper explosion limit:	N.A.		
Flash point:	8 °C		
Auto-ignition temperature:	N.A.		

6700.000/2 Page n. 5 of 12



Decomposition temperature:	N.A.		
pH:	N.A.		
Kinematic viscosity:	> 20,5 mm2/ sec (40 °C)		
Viscosity (23°C+-0.5°C)	min 0- max 1		
Spindle:	0		
Speed (rpm):	0		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient n- octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative density:	0.854	UNI EN ISO 2431 (ex DIN 53211 s)	
Relative vapour density:	N.A.		
Particle characteristics:			
Particle size:	N.A.		

9.2. Other information

No other relevant information

## SECTION 10: Stability and reactivity

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid
  - Stable under normal conditions.
- 10.5. Incompatible materials Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

## 6700.000/2 Page n. 6 of 12



#### SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: **DILUENTE 6700** a) acute toxicity The product is classified: Acute Tox. 4 H302; Acute Tox. 4 H332 ATEmix - Oral 1666,67 mg/kg bw ATEmix - Inhalation (Mist) 5 mg/l b) skin corrosion/irritation Not classified Based on available data, the classification criteria are not met c) serious eye damage/irritation The product is classified: Eye Irrit. 2 H319 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure The product is classified: STOT SE 3 H336 i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: butanone; ethyl methyl ketone - CAS: 78-93-3 a) acute toxicity: Test: LD50 - Route: oral - Species: rat > 2054 mg/kg Test: LD50 - Route: dermal - Species: rabbit > 10 ml/kg c) serious eye damage/irritation: Test: Eye Irritant - Species: rabbit 11.2. Information on other hazards

11.2. Information on other hazards
 Endocrine disrupting properties:
 No endocrine disruptor substances present in concentration >= 0.1%

**SECTION 12: Ecological information** 

## 6700.000/2

Page n. 7 of 12



12.1. Toxicity
Adopt good working practices, so that the product is not released into the environment.
DILUENTE 6700
Not classified for environmental hazards
Based on available data, the classification criteria are not met
butanone; ethyl methyl ketone - CAS: 78-93-3
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 2993 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia = 308 mg/l - Duration h: 48
Endpoint: EC50 - Species: Algae = 2029 mg/l - Duration h: 96
12.2. Persistence and degradability
There is no data available on the preparation itself.
butanone; ethyl methyl ketone - CAS: 78-93-3
Biodegradability: Readily biodegradable - Test: CO2 production - %: 98 - Notes: 28 d
12.3. Bioaccumulative potential
There is no data available on the preparation itself.
N.A.
12.4. Mobility in soil
There is no data available on the preparation itself.
N.A.
12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration >= 0.1%
12.7. Other adverse effects
None

## SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Directives 91/156/CEE, 91/689/CEE, 94/62/CE.

EWC CODE 080111

Do not empty into drains, ground or waterways. Dispose of product residues and related containers at a collection point for hazardous or special waste or, where appropriate, through an authorized waste disposal company.

## **SECTION 14: Transport information**



1263
1263
1263

14.2. UN proper shipping name

6700.000/2 Page n. 8 of 12



ADR-Shipping Name:	PAINT RELATED MATERIAL
IATA-Shipping Name:	PAINT RELATED MATERIAL
IMDG-Shipping Name:	PAINT RELATED MATERIAL
14.3. Transport hazard class(es)	3
ADR-Class:	UN 1263
UN no.:	nber: 33
ADR - Hazard identification nur	3
IATA-Class:	3
IATA-Label:	3
IMDG-Class:	3
Erg-code:	3L
14.4. Packing group ADR-Packing Group: IATA-Packing group: IMDG-Packing group:	    
14.5. Environmental hazards	No
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	F-E,
IMDG-EmS:	S-E
<ul> <li>14.6. Special precautions for user ADR-Subsidiary hazards: ADR-S.P.: ADR-Transport category (Tunn ADR-Limited Quantities: ADR-Excepted Quantities: IATA-Passenger Aircraft: IATA-Passenger Aircraft: IATA-Subsidiary hazards: IATA-Cargo Aircraft: IATA-Cargo Aircraft: IATA-S.P.: IATA-ERG: IMDG-Subsidiary hazards: IMDG-Stowage and handling: IMDG-Segregation:</li> <li>14.7. Maritime transport in bulk accord N.A.</li> </ul>	- 163 367 640C 650 el restriction code): 2 (D/E) 5 L E2 353 - 364 A3 A72 A192 3L - Category B -

N.A.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EU) n. 2020/878

Dir. 89/391/CEE and subsequent amendments (Risks related to chemical agents at work and Occupational exposure limit values). Directive 1999/13/EC and subsequent amendments

### 6700.000/2

Page n. 9 of 12



(limitation of emissions of volatile organic compounds due to the use of organic solvents in certain activities and installations). Regulation (CE) n. 1907/2006, Regulation (CE) 830/2015 and subsequent amendments (concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals - REACH). Regulation (CE) n.1272/2008 and subsequent amendments (on classification, labeling and packaging of substances and mixtures - CLP).

International Maritime Dangerous Goods Code, IATA Dangerous Goods Regulation, International Carriage of Dangerous Goods by Road (ADR).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3 Restriction 40

Restrictions related to the substances contained:

Restriction 75

Restriction 3 is not applicable because the mixture does not fall within the restrictions mentioned in Annex XVII of EC Regulation No. 1907/2006.

Restriction 40 is not applicable because the mixture does not fall within the restrictions mentioned in Annex XVII of EC Regulation No. 1907/2006.

Restriction 75 is not applicable because the mixture does not fall within the restrictions mentioned in Annex XVII of EC Regulation No. 1907/2006.

Where applicable, refer to the following regulatory provisions :

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products. Regulation UE No 649/2012 concerning the export and import of dangerous chemicals. Regulation UE n. 528/2012 concerning the making available on the market and use of biocidal products. Directive 2012/18/EU (Seveso III)

Regulation (EC) No. 648/2004 (detergents).

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products.

Regulation (EC) No 689/2006 concerning the export and import of dangerous chemicals. Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1

Product belongs to category: P5c

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## **SECTION 16: Other information**

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4

6700.000/2 Page n. 10 of 12



Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Flam. Liq. 2, H225	On basis of test data
Acute Tox. 4, H302	Calculation method
Acute Tox. 4, H332	Calculation method
Eye Irrit. 2, H319	Calculation method
STOT SE 3, H336	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.

6700.000/2

Page n. 11 of 12



IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.